

# ADA Alternative® Substrate & Appliqué

Specifically engineered to meet the Americans with Disabilities Act, Rowmark's ADA Alternative line offers you the widest selection of materials for tactile and Braille-receptive products.

UV stable, outdoor weatherable, and laser and rotary engravable, ADA Alternative has been the proven choice for designers and architects for more than a decade.



ADA Alternative® Sign Kit item #9022

Rowmark's ADA Alternative® Sign Kit features finished signs fabricated with Rowmark materials and mounting systems. The Sign Kit is offered as a way to display finished signs using Rowmark products in your showroom and are available for purchase through [www.rowmark.com](http://www.rowmark.com).

## Material Specifications

Material:	Single-ply modified acrylic
Finish:	Matte non-glare
Size:	610 mm x 1238 mm
Thickness 1-ply:	0,8 mm, 1,0 mm, 1,6 mm, 3,2 mm
Usage:	Signage, Tactile and ADA Compliant Braille Signage
Rotary Cutting Depth:	6,35 mm round 0,51 mm tip at 20-25 degree angle

## Material Capabilities

Scores	• Bonds
Saws	• Fine Engraving
Drills	• UV Stable
Shears	• Outdoor Weatherable
Laser Cuts	• Back-Filling
Bevels	• Back Lighting
Heat Bendable	• Braille-Engravable
Screen Prints	• ADA Compliant
Hot Stamp	• Embosses

## Color Palette

Laser Engravable | Rotary Engravable | Outdoor Weatherable | UV-Stable | ADA Compliant

<b>Red</b> 311-601 (1-ply .8 mm) 321-601 (1-ply 1.6 mm) 341-601 (1-ply 3.2 mm)	<b>Burgundy</b> 311-602 (1-ply .8 mm) 321-602 (1-ply 1.6 mm) 341-602 (1-ply 3.2 mm)	<b>Canyon</b> 311-823 (1-ply .8 mm) 321-823 (1-ply 1.6 mm) 341-823 (1-ply 3.2 mm)	<b>Yellow</b> 311-701 (1-ply .8 mm) 321-701 (1-ply 1.6 mm) 341-701 (1-ply 3.2 mm)	<b>Bright Green</b> 311-901 (1-ply .8 mm) 321-901 (1-ply 1.6 mm) 341-901 (1-ply 3.2 mm)	<b>Pine Green</b> 311-902 (1-ply .8 mm) 321-902 (1-ply 1.6 mm) 341-902 (1-ply 3.2 mm)

<b>Black Forest Green</b> 311-903 (1-ply .8 mm) 321-903 (1-ply 1.6 mm) 341-903 (1-ply 3.2 mm)	<b>Bahama Blue</b> 311-509 (1-ply .8 mm) 321-509 (1-ply 1.6 mm) 341-509 (1-ply 3.2 mm)	<b>Blue</b> 311-501 (1-ply .8 mm) 321-501 (1-ply 1.6 mm) 341-501 (1-ply 3.2 mm)	<b>Air Force Blue</b> 311-504 (1-ply .8 mm) 321-504 (1-ply 1.6 mm) 341-504 (1-ply 3.2 mm)	<b>Marine Blue</b> 311-502 (1-ply .8 mm) 321-502 (1-ply 1.6 mm) 341-502 (1-ply 3.2 mm)	<b>China Blue</b> 311-302 (1-ply .8 mm) 321-302 (1-ply 1.6 mm) 341-302 (1-ply 3.2 mm)

<b>Antique Ivory</b> 311-801 (1-ply .8 mm) 321-801 (1-ply 1.6 mm) 341-801 (1-ply 3.2 mm)	<b>Sand</b> 311-808 (1-ply .8 mm) 321-808 (1-ply 1.6 mm) 341-808 (1-ply 3.2 mm)	<b>Ash</b> 311-214 (1-ply .8 mm) 321-214 (1-ply 1.6 mm) 341-214 (1-ply 3.2 mm)	<b>Sandalwood</b> 311-218 (1-ply .8 mm) 321-218 (1-ply 1.6 mm) 341-218 (1-ply 3.2 mm)	<b>White</b> 311-201 (1-ply .8 mm) 321-201 (1-ply 1.6 mm) 341-201 (1-ply 3.2 mm)	<b>Bright White</b> 311-204 (1-ply .8 mm) 321-204 (1-ply 1.6 mm) 341-204 (1-ply 3.2 mm)

<b>Light Grey</b> 311-305 (1-ply .8 mm) 321-305 (1-ply 1.6 mm) 341-305 (1-ply 3.2 mm)	<b>Pearl Grey</b> 311-306 (1-ply .8 mm) 321-306 (1-ply 1.6 mm) 341-306 (1-ply 3.2 mm)	<b>Grey</b> 311-301 (1-ply .8 mm) 321-301 (1-ply 1.6 mm) 341-301 (1-ply 3.2 mm)	<b>Charcoal Grey</b> 311-307 (1-ply .8 mm) 321-307 (1-ply 1.6 mm) 341-307 (1-ply 3.2 mm)	<b>Taupe</b> 311-802 (1-ply .8 mm) 321-802 (1-ply 1.6 mm) 341-802 (1-ply 3.2 mm)	<b>Driftwood</b> 311-595 (1-ply .8 mm) 321-595 (1-ply 1.6 mm) 341-595 (1-ply 3.2 mm)

<b>Cinder</b> 311-413 (1-ply .8 mm) 321-413 (1-ply 1.6 mm) 341-413 (1-ply 3.2 mm)	<b>Dark Brown</b> 311-803 (1-ply .8 mm) 321-803 (1-ply 1.6 mm) 341-803 (1-ply 3.2 mm)	<b>Black</b> 311-401 (1-ply .8 mm) 321-401 (1-ply 1.6 mm) 341-401 (1-ply 3.2 mm)	<b>Gold</b> 311-771 (1-ply .8 mm) 321-771 (1-ply 1.6 mm) 341-771 (1-ply 3.2 mm)	<b>Silver</b> 311-304 (1-ply .8 mm) 321-304 (1-ply 1.6 mm) 341-304 (1-ply 3.2 mm)	<b>Graphite</b> 311-398 (1-ply .8 mm) 321-398 (1-ply 1.6 mm) 341-398 (1-ply 3.2 mm)

<b>Clear</b> 311-101 (1-ply .8 mm) 322-101 (1-ply 1.6 mm) 342-101 (1-ply 3.2 mm)